

---

## Autoencoders

---

In previous chapters, we have largely focused on classification and regression problems, where we use supervised learning with training samples that have both inputs and corresponding outputs or labels, to learn hypotheses or models that can then be used to predict labels for new data. We have also considered clustering in Chapter 6, where we only have features but no corresponding outputs or labels for our dataset. There, we saw an example of an *unsupervised learning algorithm*, k-means, which learns cluster means and cluster assignments for our dataset.

*Autoencoders* are another family of unsupervised learning algorithms, in this case seeking to obtain insights about our data by learning compressed versions of the original data. Such insights might help us to discover and characterize underlying factors of variation in data, which can aid in scientific discovery; to compress data for efficient storage or communication; or to pre-process our data prior to supervised learning, perhaps to reduce the amount of data that is needed to learn a good classifier or regressor.

### C.1 Autoencoder structure

Assume that we have input data  $\mathcal{D} = \{x^{(1)}, \dots, x^{(n)}\}$ , where  $x^{(i)} \in \mathbb{R}^d$ . We seek to learn an autoencoder that will output a new dataset  $\mathcal{D}_{\text{out}} = \{a^{(1)}, \dots, a^{(n)}\}$ , where  $a^{(i)} \in \mathbb{R}^k$  with  $k < d$ . We can think about  $a^{(i)}$  as the new *representation* of data point  $x^{(i)}$ . For example, in Fig. C.1 we show the learned representations of a dataset of MNIST digits with  $k = 2$ . We see, after inspecting the individual data points, that unsupervised learning has found a compressed representation where images of the same digit based are close to each other, potentially greatly aiding subsequent clustering or classification tasks.

Formally, an autoencoder consists of two functions, a vector-valued *encoder*  $g: \mathbb{R}^d \rightarrow \mathbb{R}^k$  that deterministically maps the data to the representation space  $a \in \mathbb{R}^k$ , and a *decoder*  $h: \mathbb{R}^k \rightarrow \mathbb{R}^d$  that maps the representation space back into the original data space.

The basic architecture of an autoencoder is shown in Figure C.2; note that bias terms  $W_0^1$  and  $W_0^2$  into the summation nodes exist, but are omitted for clarity in the figure. In this example, the original  $d$ -dimensional input is compressed into  $k = 3$  dimensions via the encoder  $g(x; W^1, W_0^1) = f_1(W^1 x + W_0^1)$  with  $W^1 \in \mathbb{R}^{d \times k}$  and  $W_0^1 \in \mathbb{R}^k$ , and where the non-linearity  $f_1$  is applied to each dimension of the vector. To recover (an approximation to) the original instance, we then apply the decoder  $h(a; W^2, W_0^2) = f_2(W^2 a + W_0^2)$ ,




Figure C.1: Compression of digits dataset into two dimensions. The input  $x^{(i)}$ , an image of a handwritten digit, is shown at the new low-dimensional representation  $(a_1, a_2)$ .

where  $f_2$  denotes a different non-linearity (activation function). In general, both the decoder and the encoder could involve multiple layers, as opposed to the single layer shown here. Learning seeks parameters  $W^1, W_0^1$  and  $W^2, W_0^2$  such that the reconstructed instances,  $h(g(x^{(i)}; W^1, W_0^1); W^2, W_0^2)$ , are close to the original input  $x^{(i)}$ .




Figure C.2: Autoencoder structure, showing the encoder (left half, light green), and the decoder (right half, light blue), encoding inputs  $x$  to the representation  $a$ , and decoding the representation to produce  $\tilde{x}$ , the reconstruction. In this specific example, the representation  $(a_1, a_2, a_3)$  only has three dimensions.

## C.2 Autoencoder Learning

We learn the weights in an autoencoder using the same tools that we previously used for supervised learning, namely (stochastic) gradient descent of a multi-layer neural network to minimize a loss function. All that remains is to specify the loss function  $\mathcal{L}(\tilde{x}, x)$ , which tells us how to measure the discrepancy between the reconstruction  $\tilde{x} = h(g(x; W^1, W_0^1); W^2, W_0^2)$  and the original input  $x$ . For example, for continuous-valued  $x$  it might make sense to use squared loss, i.e.,  $\mathcal{L}_{SE}(\tilde{x}, x) = \sum_{j=1}^d (x_j - \tilde{x}_j)^2$ . Learning then seeks to optimize the parameters of  $h$  and  $g$  so as to minimize the reconstruction error, measured according to this loss function:

$$\min_{W^1, W_0^1, W^2, W_0^2} \sum_{i=1}^n \mathcal{L}_{SE} \left( h(g(x^{(i)}; W^1, W_0^1); W^2, W_0^2), x^{(i)} \right)$$

Alternatively, you could think of this as *multi-task learning*, where the goal is to predict each dimension of  $x$ . One can mix-and-match loss functions as appropriate for each dimension's data type.

## C.3 Evaluating an autoencoder

What makes a good learned representation in an autoencoder? Notice that, without further constraints, it is always possible to perfectly reconstruct the input. For example, we could let  $k = d$  and  $h$  and  $g$  be the identity functions. In this case, we would not obtain any compression of the data.

To learn something useful, we must create a *bottleneck* by making  $k$  to be smaller (often much smaller) than  $d$ . This forces the learning algorithm to seek transformations that describe the original data using as simple a description as possible. Thinking back to the digits dataset, for example, an example of a compressed representation might be the digit label (i.e., 0–9), rotation, and stroke thickness. Of course, there is no guarantee that the learning algorithm will discover precisely this representation. After learning, we can inspect the learned representations, such as by artificially increasing or decreasing one of the dimensions (e.g.,  $a_1$ ) and seeing how it affects the output  $h(a)$ , to try to better understand what it has learned.

As with clustering, autoencoders can be a preliminary step toward building other models, such as a regressor or classifier. For example, once a good encoder has been learned, the decoder might be replaced with another neural network that is then trained with supervised learning (perhaps using a smaller dataset that does include labels).

## C.4 Linear encoders and decoders

We close by mentioning that even linear encoders and decoders can be very powerful. In this case, rather than minimizing the above objective with gradient descent, a technique called *principal components analysis* (PCA) can be used to obtain a closed-form solution to the optimization problem using a singular value decomposition (SVD). Just as a multilayer neural network with nonlinear activations for regression (learned by gradient descent) can be thought of as a nonlinear generalization of a linear regressor (fit by matrix algebraic operations), the neural network based autoencoders discussed above (and learned with gradient descent) can be thought of as a generalization of linear PCA (as solved with matrix algebra by SVD).